


**AMENDMENTS TO THE CLAIMS**

1. (Original) A triazolopyrimidine of the formula I



in which the substituents are as defined below:

R<sup>1</sup> is C<sub>1</sub>-C<sub>5</sub>-alkyl or C<sub>1</sub>-C<sub>10</sub>-alkoxy-C<sub>1</sub>-C<sub>10</sub>-alkyl,

R<sup>2</sup> is C<sub>5</sub>-C<sub>12</sub>-alkyl,

where R<sup>1</sup> and/or R<sup>2</sup> may be substituted by one to three of the following groups:


cyano, nitro, hydroxyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkylthio, NR<sup>a</sup>R<sup>b</sup>;

R<sup>a</sup>, R<sup>b</sup> are hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl.


2. (Original) The compound of the formula I according to claim 1 in which R<sup>1</sup> and R<sup>2</sup> are unsubstituted and together have at most 14 carbon atoms.
3. (Original) The compound of the formula I according to claim 1 in which R<sup>1</sup> is methyl, ethyl,

n-propyl, isopropyl, n-butyl or n-pentyl, where the carbon chains are unsubstituted or may be substituted according to claim 1.


4. (Original) The compound of the formula I according to claim 1 in which R<sup>2</sup> is n-heptyl, n-octyl, n-nonyl or 1-methyloctyl.
5. (Original) 6-Methyl-5-pentyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
5-Hexyl-6-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
5-Heptyl-6-methyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
6-Methyl-5-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
6-Methyl-5-nonyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
6-Ethyl-5-octyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
6-Ethyl-5-noctyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
5-Decyl-6-ethyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
5-Octyl-6-propyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
5-Nonyl-6-propyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine;  
5-Decyl-6-propyl-[1,2,4]triazolo[1,5-a]pyrimidin-7-ylamine.
6. (Currently amended) A process for preparing compounds of the formula I according to ~~any~~ claim 1 to 5 ~~of claims 1 to 5~~ claim 1 wherein  $\beta$ -keto esters of the formula II,




in which R is C<sub>1</sub>-C<sub>4</sub>-alkyl are reacted with 3-amino-1,2,4-triazole of the formula III



to give 7-hydroxytriazolopyrimidines of the formula IV




which are halogenated to give compounds of the formula V



in which Hal is chlorine or bromine, and V is reacted with ammonia.

7. (Currently amended) A process for preparing compounds of the formula I according to ~~any~~ of claims 1 to 5 claim 1 wherein acyl cyanides of the formula VI,



are reacted with 3-amino-1,2,4-triazole of the formula III ~~according to claim 6.~~

8. (Currently amended) A fungicidal composition comprising a solid or liquid carrier and a compound of the formula I according to ~~any of claims 1 to 5~~ claim 1.
9. (Currently amended) Seed comprising a compound of the formula I according to ~~any of claims 1 to 5~~ claim 1 in an amount of 1 to 1000 g per 100 kg.
10. (Currently amended) A method for controlling phytopathogenic harmful fungi wherein the fungi or the materials, plants, the soil or seed to be protected against fungal attack are treated with an effective amount of a compound of the formula I according to ~~any of claims 1 to 5~~ claim 1.